

Air Tools

APT401

10mm Air Drill

Boasting a powerful air motor letting the user know that this 10mm Air Drill means business.

- Rear exhaust through handle
- Triple planetary gear system



| Chuck Size | Free Speed | Average Air Consumption |
|--------------|------------|-------------------------|
| 3/8" / 10 mm | 2,500 RPM | 3.8 cfm |

APT401R

10mm Reversible Air Drill

PCL's 10 mm Reversible Air Drill features a triple planetary gear system and positive trigger action for ease of use.

- Rear exhaust through handle
- Side mounted forward/reverse shift



| Chuck Size | Free Speed | Average Air Consumption |
|--------------|------------|-------------------------|
| 3/8" / 10 mm | 1,800 RPM | 4 cfm |

APT407

Air Screwdriver

This Air Screwdriver is ideal for the everyday tradesman who requires a price competitive tool without compromising quality or performance.

- Spring compression determines torque setting
- Integrated holder for 1/4" bits



| Maximum Torque | Free Speed | Average Air Consumption |
|----------------|------------|-------------------------|
| 17 Nm | 1,800 RPM | 4 cfm |

APT320

3/8" Air Ratchet

General purpose 3/8" Air Ratchet featuring a forward and reverse mechanism on the ratchet head for ease of use.

- Forward/reverse knob on the ratchet head
- Ball type retainer



| Maximum Torque | Free Speed | Average Air Consumption |
|----------------|------------|-------------------------|
| 60 Nm | 150 RPM | 3.6 cfm |

APT720



Palm Sander

Two handed operated Palm Sander with built in speed regulator.

- Two handed operation
- With built in speed regulator

| Pad Size | Free Speed | Average Air Consumption |
|-------------|------------|-------------------------|
| 6" / 150 mm | 10,000 RPM | 3.5 cfm |

APP760



Palm Sander

PCL's Palm Sander features a built in speed regulator for optimised control, a central vacuum type and low noise output for the serious professional.

- Reduced vibration
- Built in regulator for optimised power control

| Pad Size | Free Speed | Average Air Consumption |
|----------|------------|-------------------------|
| 6" | 12,000 rpm | 2.5 cfm |

APT702



Die Grinder

This Die Grinder has high velocity and low vibration, safety throttle lever with 6 mm collet (3 piece design).

- Medium motor size
- Rear exhaust through handle

| Collet Size | Free Speed | Average Air Consumption |
|-------------|------------|-------------------------|
| 6 mm | 22,000 RPM | 3 cfm |

APT755



10 mm Belt Sander

This 10 mm Belt Sander is designed for metal work fabrication, general sheet metal work and general sanding applications.

- Optimal positioning due to rotating handle
- Rear exhaust through handle

| Belt Size | Free Speed | Average Air Consumption |
|-------------|------------|-------------------------|
| 10 x 330 mm | 16,000 RPM | 2.5 cfm |

APT650



Air Body Saw

Its high cutting performance and well balanced design, the APT650 Air Body Saw is able to reach a 1.6 mm cutting capacity with ease.

- High cutting performance

| Cutting Capacity | Free Speed | Average Air Consumption |
|------------------|------------|-------------------------|
| 1.6 mm | 9,000 RPM | 1 cfm |

APT719



Cut Off Tool

The APT719 Cut Off Tool works with cutting disks for 75 mm in diameter confirming its ability to work efficiently in small confined spaces.

- Rear exhaust through handle

| Disc Size | Free Speed | Average Air Consumption |
|-----------|------------|-------------------------|
| 75 mm | 20,000 RPM | 4.6 cfm |

APT517



Air Hammer

This general purpose Air Hammer is designed for cutting, punching or chipping.

- 3000 blows per minute

| Stroke Size | Blow per Min | Average Air Consumption |
|---------------|--------------|-------------------------|
| 2 5/8" / 3 mm | 3000 rpm | 6.2 cfm |

Contact us:

Head office:
PCL-SUMO Air Technology Pvt Ltd

425 Gemstar Commercial Complex
Ramchandra Lane Extension
Kachpada
Malad West
Mumbai 400064
India

sales@pclsumo.com
T +91 (0)8080907242 / 8080208578
F +91 (0)22 2881 9841 / 2242108899

Main Service Centre: Vasai
west@pclsumo.com
pclservice@pclsumo.com
prod@pclsumo.com
T +91 9595107242 / 9320771607/08

West Regional Sales Office: Mumbai
rmishra@pclsumo.com
T +91 8080208578
+91 7506377597
+91 2242108888
F +91 2228819841
+91 2242108899

North/East Regional Office: New Delhi
north@pclsumo.com
T +91 1129534271/1498
+91 9313733558
F +91 1129531498

South Regional Office: Chennai
south@pclsumo.com
T +91 4442039027
+91 9381748386
F +91 4442039022